

# LAKELAND

## CHEMICAL SPECIALTIES, INC.

W140 N5090 LILLY ROAD  
MENOMONEE FALLS, WI 53051

24 Hour Emergency: (800) 424-9300 (CHEMTREC)

Phone: (262) 781-1350

### MATERIAL SAFETY DATA SHEET

DATE ISSUED 06/06

#### SECTION 1: PRODUCT IDENTIFICATION

PRODUCT NAME: B-5300  
CHEMICAL NAME: BISULFITE/CAUSTIC/WATER  
CHEMICAL FAMILY: INDUSTRIAL WATER TREATMENT/ CORROSION INHIBITOR

#### SECTION 2: HAZARDOUS INGREDIENTS

MATERIAL	PERCENT	CAS#	TLV	PEL
SODIUM BISULFITE	<26	7631-90-5	NA	NA
SODIUM HYDROXIDE	<4	1310-73-2	2mg/m <sup>3</sup> C	2mg/m <sup>3</sup>

#### SECTION 3: PHYSICAL/CHEMICAL PROPERTIES

BOILING POINT (F):	212°	MELTING POINT:	NA
SOLUBILITY IN WATER:	100%	VAPOR PRESSURE (mm Hg):	NA
pH:	5.5	VAPOR DENSITY (AIR = 1):	NA
SPECIFIC GRAVITY:	1.2	WATER REACTIVE:	NO
APPEARANCE/ODOR:	CLEAR LIQUID LIGHT SULFUR	DOT SHIPPING NAME:	BISULFITE, AQUEOUS SOLUTION, N.O.S. (SODIUM BISULFITE),8, UN2693,PGIII

#### SECTION 4 : FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED): NONE

EXTINGUISHER MEDIA: NA (NON-COMBUSTIBLE)

SPECIAL FIRE FIGHTING PROCEDURES: SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN WHEN ENTERING ANY FIRE. GUARD AGAINST SULFUR DIOXIDE VAPORS IF PRODUCT IS HEATED.

#### SECTION 5: REACTIVITY HAZARD DATA

STABILITY:  X  STABLE   UNSTABLE PRECAUTIONS: RELEASES SO<sub>2</sub> WHEN HEATED

INCOMPATIBILITY (MATERIALS TO AVOID): STRONG OXIDIZERS (CAUSES VIGOROUS EXOTHERMIC REACTIONS), AND ACIDS (RELEASES TOXIC SULFUR DIOXIDE GAS).

HAZARDOUS DECOMPOSITION PRODUCTS: SO<sub>2</sub> WHEN HEATED

HAZARDOUS POLYMERIZATION:   OCCURS  X  DOES NOT OCCUR

**SECTION 6: HEALTH HAZARD DATA - PROTECTIVE MEASURES - FIRST AID**

**MOST LIKELY ROUTE OF ENTRY:**

**SKIN:** IRRITANT. POSSIBLE SEVERE WITH PROLONGED EXPOSURE. WEAR ALKALI-RESISTANT GLOVES, COMPLETE BODY PROTECTION. PROVIDE CONVENIENT SAFETY SHOWERS. REMOVE CONTAMINATED CLOTHES. FLUSH SKIN THOROUGHLY WITH WATER FOR 15 MINUTES.

**EYES:** IRRITANT. CAN CAUSE EYE DAMAGE.  
WEAR SPLASH-PROOF GOGGLES. PROVIDE CONVENIENT EYEWASH STATIONS.  
FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES. GET PROMPT MEDICAL ATTENTION IF EFFECTS PERSIST.

**INHALATION:** BREATHING OF LIQUID MIST CAUSES IRRITATION AND POSSIBLE BURNS TO TISSUE. SO<sub>2</sub> VAPOR CAN CAUSE CHOKING, PULMONARY EDEMA, AND DEATH DEPENDING ON AMOUNT OF EXPOSURE. WEAR AN APPROVED LIQUID/MIST RESPIRATOR IF EXPOSURE IS LIKELY, WITH SO<sub>2</sub> PROTECTION IF NEEDED FOR VAPORS. REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NEEDED. GET PROMPT MEDICAL ATTENTION IF EFFECTS PERSIST.

**INGESTION:** CAUSES IRRITATION OF MEMBRANES. WEAR FACE SHIELD WHEN EXPOSED, IF NOT USING RESPIRATOR. AVOID SWALLOWING. RINSE MOUTH. DRINK LOTS OF WATER. INDUCE VOMITING. GET MEDICAL ATTENTION IF EFFECTS PERSIST.

**SECTION 7: PRECAUTIONS FOR SAFE HANDLING AND USE/LEAK PROCEDURES**

**IN THE EVENT OF SPILL OR RELEASE:** SMALL SPILLS CAN BE DILUTED WITH WATER AND FLUSHED TO SEWER OR GROUND WITH LARGE AMOUNTS OF WATER. LARGE SPILLS SHOULD BE DIKED AND HELD FOR COLLECTION, NEUTRALIZATION AND DISPOSAL, OR REUSE. RESPONSE PERSONNEL SHOULD USE EYE AND SKIN PROTECTION AND A NIOSH APPROVED RESPIRATOR FOR SO<sub>2</sub> IF NEEDED.

**PRECAUTIONS FOR HANDLING AND STORAGE:** STORE IN A COOLS AND DRY AREA AWAY FROM INCOMPATIBLE/ REACTIVE MATERIALS (I.E. ACIDS)

**WASTE DISPOSAL METHOD:** CONSULT FEDERAL, STATE AND LOCAL REGULATIONS FOR APPROVED DISPOSAL PROCEDURES.

**EMPTY CONTAINERS:** TRIPLE RINSE BEFORE HANDLING AND DISPOSAL

**OTHER PRECAUTIONS:** NONE

**SECTION 8: HMIS RATINGS**

<u>2</u>	HEALTH	<u>0</u>	REACTIVITY
<u>0</u>	FLAMMABILITY	<u>H</u>	PERSONAL PROTECTION

THE INFORMATION AND DATA GIVEN ARE FROM SOURCES BELIEVED TO BE ACCURATE AND RELIABLE, BUT ARE PRESENTED WITHOUT GUARANTEE OR WARRANTY OR RESPONSIBILITY OF ANY KIND, EXPRESSED OR IMPLIED ON OUR PARTS. INFORMATION REGARDING THE PROPER COURSE OF TREATMENT IN THE EVENT OF AN ACCIDENT OR MISUSE IS PROPERLY THE DOMAIN OF THE ATTENDING PHYSICIAN.